The derivation and validation of three novel sepsis molecular subtypes to help guide precision therapies

<u>Timothy E Sweeney^{1,2}</u>, Tej D Azad^{1,2}, Michele Donato^{1,2}, Winston A Haynes^{1,2}, Thanneer M Perumal³, Jesús F Bermejo-Martin⁴, Benjamin Tang⁵⁻⁸, Hector R Wong^{9,10}, Ephraim L Tsalik^{11,12}, Raymond J Langley¹³, Purvesh Khatri^{1,2}

Affiliations:

- 1. Stanford Institute for Immunity, Transplantation and Infection, Stanford University School of Medicine, Stanford, CA, USA.
- 2. Biomedical Informatics Research, Stanford University School of Medicine, Stanford, CA, USA
- 3. Sage Bionetworks, Seattle, WA, USA
- 4. Bio•Sepsis, Hospital Clínico Universitario de Valladolid/IECSCYL, Valladolid, Spain.
- 5. Centre for Immunology and Allergy Research, Westmead Institute for Medical Research, Sydney, Australia.
- 6. Department of Intensive Care Medicine, Nepean Hospital, Sydney, Australia.
- 7. Nepean Genomic Research Group, Nepean Clinical School, University of Sydney, Sydney, Australia.
- 8. Marie Bashir Institute for Infectious Diseases and Biosecurity, Sydney, Australia.
- 9. Division of Critical Care Medicine, Cincinnati Children's Hospital Medical Center and Cincinnati Children's Research Foundation, Cincinnati, OH, USA.
- 10. Department of Pediatrics, University of Cincinnati College of Medicine, Cincinnati, OH, USA.
- 11. Department of Medicine, Duke University, Durham, NC, USA.
- 12. Emergency Department Service Line, Durham Veterans Affairs Health Care System, Durham, NC, USA.
- 13. Department of Pharmacology, University of South Alabama. Mobile, AL, USA.

Background

Sepsis is defined as a dysregulated immune response, but no immunomodulatory therapies have been shown to decrease sepsis mortality. Despite its high clinical heterogeneity, sepsis is still treated as a single disease. Defining sepsis subtypes (or 'endotypes') based on the molecular immune response may allow for a precision medicine approach to match novel therapies to those sepsis patients that can benefit.

Materials and Methods

We performed a systematic search of GEO and ArrayExpress for gene expression datasets of clinical studies in sepsis, as previously described [1]. We selected studies of bacterial sepsis, sampled within 48 hours of hospital admission, across a broad range of ages, severities, and geographic locations. We used a batch effect correction algorithm [2] to pool data from 14 bacterial sepsis transcriptomic datasets from 8 different countries (N=700). We then used a meta-clustering algorithm [3] to find conserved sepsis subtypes across the conormalized discovery samples. We derived a classifier for application in external datasets, and then validated our clusters in 9 independent datasets from 5 different countries (N=600). Clusters were evaluated for both clinical and molecular differences in both discovery and validation datasets.

Results

Meta-clustering revealed three sepsis subtypes, which, based on gene ontology analysis, we termed Inflammopathic, Adaptive, and Coagulopathic. We derived a 33-gene classifier with an

overall 83% accuracy in leave-one-out re-assignment of the discovery data. We then applied this classifier to identify the same 3 subtypes in 9 independent datasets (N=600). Across both discovery and validation, we showed that the Inflammopathic subtype is associated with younger age, higher clinical severity and higher mortality; the Adaptive subtype is significantly associated with a lower clinical severity and lower mortality; and the Coagulopathic subtype is significantly associated with both older age and clinical coagulopathy. Further, these clusters are significantly associated with clusters derived by others in independent, single-study sepsis cohorts [4-8].

Conclusions

We identified three sepsis subtypes (Inflammopathic, Adaptive, and Coagulopathic) associated with significant difference in mortality among sepsis patients. These sepsis subtypes may assist in the development of targeted therapies that would fail if applied to all patients with sepsis [6]. The consistent presence of the sepsis subtypes across a broad range of patients from multiple studies around the world suggests their potential for use as a single framework to better define heterogeneity in patients with bacterial sepsis.

Acknowledgments

The authors wish to thank Ricardo Henao, Raquel Almansa, Eduardo Tamayo, Judith A Howrylak, Augustine Choi, Grant P Parnell, Marshall Nichols, Christopher W Woods, Geoffrey S Ginsburg, Stephen F Kingsmore, Larsson Omberg, and Lara M Mangravite for contributions to this work.

References

- 1. Sweeney TE, Khatri P: Benchmarking Sepsis Gene Expression Diagnostics Using Public Data. Crit Care Med 2017, 45(1):1-10.
- 2. Sweeney TE, Wong HR, Khatri P: Robust classification of bacterial and viral infections via integrated host gene expression diagnostics. *Sci Transl Med* 2016, **8**(346):346ra391.
- 3. Sweeney TE, Chen AC, Gevaert O: Combined Mapping of Multiple clUsteriNg ALgorithms (COMMUNAL): A Robust Method for Selection of Cluster Number, K. *Sci Rep* 2015, 5:16971.
- 4. Wong HR, Cvijanovich N, Lin R, Allen GL, Thomas NJ, Willson DF, Freishtat RJ, Anas N, Meyer K, Checchia PA *et al*: **Identification of pediatric septic shock subclasses based on genome-wide expression profiling**. *BMC Med* 2009, **7**:34.
- 5. Wong HR, Cvijanovich NZ, Allen GL, Thomas NJ, Freishtat RJ, Anas N, Meyer K, Checchia PA, Lin R, Shanley TP *et al*: Validation of a gene expression-based subclassification strategy for pediatric septic shock. *Crit Care Med* 2011, **39**(11):2511-2517.
- Wong HR, Cvijanovich NZ, Anas N, Allen GL, Thomas NJ, Bigham MT, Weiss SL, Fitzgerald J, Checchia PA, Meyer K et al: Developing a clinically feasible personalized medicine approach to pediatric septic shock. Am J Respir Crit Care Med 2015, 191(3):309-315.
- 7. Davenport EE, Burnham KL, Radhakrishnan J, Humburg P, Hutton P, Mills TC, Rautanen A, Gordon AC, Garrard C, Hill AV *et al*: **Genomic landscape of the individual host response and outcomes in sepsis: a prospective cohort study**. *Lancet Respir Med* 2016.
- 8. Burnham KL, Davenport EE, Radhakrishnan J, Humburg P, Gordon AC, Hutton P, Svoren-Jabalera E, Garrard C, Hill AV, Hinds CJ *et al*: **Shared and Distinct Aspects of the Sepsis Transcriptomic Response to Fecal Peritonitis and Pneumonia**. *Am J Respir Crit Care Med* 2016.